INDEX TO VOL. LXXXVI. (A)

Aberration, new treatment of (Sampson), 577.

Abney (Sir W. de W.) Colour-Blindness and the Trichromatic Theory of Colour Vision. Part III.—Incomplete Colour-Blindness, 42.

Absorption bands in solutions, influence of solvent on position of (Havelock), 15.

Address of the President, November 30, 1911 (Geikie), 81.

Alpha particles, note on scattering of (Geiger), 235.

Aston (F. W.) and Watson (H. E.) On the Relation between Current, Voltage, Pressure, and the Length of the Dark Space in Different Gases, 168.

Attfield (J.) Obituary notice of, xliv.

Balance, variations in temperature coefficients of a (Manley), 591.

Barnes (H. T.) The so-called Thermoid Effect and the Question of Superheating of a Platinum-Silver Resistance used in Continuous-flow Calorimetry, 330.

Berry (A. J.) The Distillation of Binary Mixtures of Metals *in vacuo*. Part I.—Isolation of a Compound of Magnesium and Zinc, 67.

Bevan (P. V.) Spectroscopic Observations : Lithium and Cæsium, 320.

Boron, spectrum of (Crookes), 36.

Budgett (H. M.) The Adherence of Flat Surfaces, 25.

Burbidge (P. W.) See Laby and Burbidge.

Callendar (H. L.) On the Variation of the Specific Heat of Water, with Experiments by a New Method, 254.

Calorimetry, the thermoid effect and the question of superheating in continuous-flow (Barnes), 330.

Carbon at high temperatures, emission of electricity from (Harker and Kaye), 379.

Cathode particles ejected by Röntgen rays, velocity of (Whiddington), 370.

Cathode rays, transmission through matter (Whiddington), 360.

Chapman (J. C.) Fluorescent Röntgen Radiation from Elements of High Atomic Weight, 439.

Chapman (S.) The Kinetic Theory of a Gas Constituted of Spherically Symmetrical Molecules, 411.

Chlorine and bromine, viscosities of (Rankine), 162.

Chree (C.) Short Index to Reports of Physical Observations (Electric, Magnetic, Meteorological, Seismological) made at Kew Observatory, 358.

Coker (E. G.) An Optical Determination of the Variation of Stress in a Thin Rectangular Plate subjected to Shear, 291.

Colloidal solutions, general theory of (Hardy), 601.

Colour-blindness, incomplete, and trichromatic colour-vision theory (Abney), 42.

Comet Brooks (1911 c), spectrum of (Lockyer), 258.

Conductivity of gas between parallel plate electrodes (Townsend), 72.

Cripps (R. S.) See Patterson, Cripps, and Whytlaw-Gray.

Crookes (Sir W.) On the Spectrum of Boron, 36 ; —— On the Devitrification of Silica Glass, 406 ; —— The Volatility of Metals of the Platinum Group, 461.

Crowther (J. A.) On the Distribution of the Scattered Röntgen Radiation, 478.

Cyanogen, less refrangible spectrum of (Fowler and Shaw), 118.

Dalby (W. E.) An Optical Load-extension Indicator, together with some Diagrams obtained therewith, 414.

Devitrification of silica glass (Crookes), 406.

Electricity, emission of, from carbon at high temperatures (Harker and Kaye), 379.

Fatigue-tester, high-speed, and endurance of metals under alternating stresses (Hopkinson), 131.
Flicker, contributions to study of (Porter), 495.
Fluid surfaces, tension of composite, and stability of fluid films (Hardy), 610.
Fournier d'Albe (E. E.) On the Variation of the Resistance of Selenium with the Voltage, 452.
Fowler (A.) See Strutt and Fowler; —— and Shaw (H.) The Less Refrangible Spectrum of Cyanogen and its Occurrence in the Carbon Arc, 118.

γ-rays excited by β-rays, nature of (Gray), 513; —— observation of fluctuations in ionisation produced by (Laby and Burbidge), 333.
Gas, conductivity of, between parallel plate electrodes (Townsend), 72.
Gas of spherically symmetrical molecules, kinetic theory of (Chapman), 411.
Gases, coefficient of inter-diffusion of (Townsend), 197; —— relation between current, voltage, pressure, and dark space in (Aston and Watson), 168.
Geiger (H.) Note on the Scattering of α-Particles, 235.
Geikie (Sir A.) Presidential Address, November 30, 1911, 81.
Gray (J. A.) The Nature of the γ-Rays excited by β-Rays, 513.

Hadfield (Sir R.) On Sinhalese Iron and Steel of Ancient Origin, 94.
Hardy (W. B.) The General Theory of Colloidal Solutions, 601; —— The Tension of Composite Fluid Surfaces and the Mechanical Stability of Films of Fluid, 610.
Harker (J. A.) and Kaye (G. W. C.) The Emission of Electricity from Carbon at High Temperatures, 379.
Harwood (W. A.) and Petavel (J. E.) Experimental Work on a New Standard of Light, 409.
Havelock (T. H.) Optical Dispersion: a Comparison of the Maxima of Absorption and Selective Reflection for Certain Substances, 1; —— The Influence of the Solvent on the Position of Absorption Bands in Solutions, 15.
Hicks (W. M.) A Critical Study of Spectral Series. Part II.—The p and s Sequences and the Atomic Volume Term, 413.
Hopkinson (B.) A High-Speed Fatigue-Tester, and the Endurance of Metals under Alternating Stresses of High Frequency, 131.
Houstoun (R. A.) The Mechanics of the Water Molecule, 102.
Huggins (Sir W.) Obituary notice of, i.
Hydrogen, after-luminosity of electric discharge in (Strutt), 529.

Ionisation produced by γ-rays, observation of fluctuations in (Laby and Burbidge), 333.
Ions in dried gases, velocities of (Lattey and Tizard), 349; —— in magnetic field, diffusion and mobility of (Townsend), 571; —— mobility of positive and negative in gases (Kovarik), 154; —— velocity of, under an electric force (Townsend), 197.
Iron and steel, ancient Sinhalese (Hadfield), 94.

Kaye (G. W. C.) See Harker and Kaye.
Kew Observatory, short index to reports of physical observations made at (Chree), 358.
Kinetic theory of gas of spherically symmetrical molecules (Chapman), 411.
Kovarik (A. F.) Mobility of the Positive and Negative Ions in Gases at High Pressures, 154.

Laby (T. H.) and Burbidge (P. W.) The Observation by means of a String Electrometer of Fluctuations in the Ionisation produced by γ-Rays, 333.
Lattey (R. T.) and Tizard (H. T.) On the Velocities of Ions in Dried Gases, 349.

Light, experimental work on new standard of (Harwood and Petavel), 409.
Lithium and cæsium, spectroscopic observations (Bevan), 320.
Load-extension indicator, optical (Dalby), 414.
Lockyer (Sir N.) On the Iron Flame Spectrum and those of Sun-spots and Lower-type Stars, 78 ; —— The Spectrum of Comet Brooks (1911 c), 258.

Manley (J. J.) On the Observed Variations in the Temperature Coefficients of a Precision Balance, 591.
Membrane, mechanism of semi-permeable (Trouton), 149.
Mercury in glass tube, resistance to motion of thread of (West), 20.
Metals, distillation of binary mixtures of (Berry), 67 ; —— endurance of, under alternating stresses (Hopkinson), 131.

Neon, krypton and xenon, monatomicity of (Ramsay), 100.
Nitrogen, chemically active modification of (Strutt), 56, 262 ; —— spectra of elements and compounds excited by active modification of (Strutt and Fowler), 105.

Obituary Notices :—
Attfield (J.), xliv.
Huggins (Sir W.), i.
Schiaparelli (G. V.), xxxvii.
Stoney (G. J.), xx.
Story-Maskelyne (N.), xlvii.
Van't Hoff (J. H.), xxxix.
Optical dispersion (Havelock), 1.
Osmotic pressure, new method of determining (Trouton), 149.
Owen (E. A.) The Passage of Homogeneous Röntgen Rays through Gases, 426.

Patterson (H. S.), Cripps (R. S.), and Whytlaw-Gray (R.) The Critical Constants and Orthobaric Densities of Xenon, 579.
Petavel (J. E.) See Harwood and Petavel.
Pidduck (F. B.) The Wave-Problem of Cauchy and Poisson, for Finite Depth and Slightly Compressible Fluid, 396.
Plane surfaces, testing of (Shaw), 227.
Platinum group, volatility of metals of (Crookes), 461.
Porter (T. C.) Contributions to the Study of Flicker.—Paper III, 495.
Poynting (J. H.) On the Changes in the Dimensions of a Steel Wire when Twisted, and on the Pressure of Distortional Waves in Steel, 534.

Radioactive disintegration, effect of temperature upon (Russell), 240.
Radium, atomic weight of (Whytlaw-Gray and Ramsay), 270.
Ramsay (Sir W.) Note on the Monatomicity of Neon, Krypton and Xenon, 100. (See also Whytlaw-Gray and Ramsay.)
Rankine (A. O.) On the Viscosities of Gaseous Chlorine and Bromine, 162.
Rayleigh (Lord) On the Propagation of Waves through a Stratified Medium, with Special Reference to the Question of Reflection, 207 ; —— On the Self-Induction of Electric Currents in a Thin Anchor-Ring, 562.
Röntgen radiation, distribution of scattered (Crowther), 478 ; —— fluorescent, from elements of high atomic weight (Chapman), 439.
Röntgen rays, passage of, through gases (Owen), 426.
Russell (Alex. S.) The Effect of Temperature upon Radioactive Disintegration, 240.

Sampson (R. A.) A New Treatment of Optical Aberration, 577.
Schiaparelli (G. V.) Obituary notice of, xxxvii.
Selby (F. J.) Analysis of Tidal Records for Brisbane for the Year 1908, 64.

Selenium, variation of resistance with voltage (Fournier d'Albe), 452.
Self-induction of electric currents in thin anchor-ring (Rayleigh), 562.
Shakespear (G. A.) A New Method of Determining the Radiation Constant, 180.
Shaw (P. E.) The Testing of Plane Surfaces, 227.
Shear stress, optical determination of (Coker), 291.
Silica glass, devitrification of (Crookes), 406.
Spectra of elements and compounds excited by active modification of nitrogen (Strutt and Fowler), 105.
Spectra of iron flame, sun-spots and lower-type stars (Lockyer), 78.
Spectral series, critical study of, Part II (Hicks), 413.
Spectroscopic observations: lithium and cæsium (Bevan), 320.
Steel wire, twisted, changes in dimensions, and pressure of distortional waves in (Poynting), 534.
Stoney (G. J.) Obituary notice of, xx.
Story-Maskelyne (N.) Obituary notice of, xlvii.
Stress in thin plate subjected to shear, optical determination of variation of (Coker), 291.
Strutt (R. J.) A Chemically Active Modification of Nitrogen produced by the Electric Discharge.—II, 56; —— III, 262; —— The After-Luminosity of Electric Discharge in Hydrogen, observed by Hertz, 529; —— and Fowler (A.) Spectroscopic Investigations in Connection with the Active Modification of Nitrogen.—II. Spectra of Elements and Compounds excited by the Nitrogen, 105.

Tidal records for Brisbane, analysis of (Selby), 64.
Tizard (H. T.) See Lattey and Tizard.
Townsend (J. S.) On the Conductivity of a Gas, between Parallel Plate Electrodes, when the Current approaches the Maximum Value, 72; —— Determination of the Coefficient of Inter-Diffusion of Gases and the Velocity of Ions under an Electric Force, in Terms of Mean Free Paths, 197; —— The Diffusion and Mobility of Ions in a Magnetic Field, 571.
Trouton (F. T.) The Mechanism of the Semi-Permeable Membrane, and a New Method of Determining Osmotic Pressure, 149.

Van't Hoff (J. H.) Obituary notice of, xxxix.

Water, variation in specific heat of (Callendar), 254; —— molecule, mechanics of (Houstoun), 102.
Watson (H. E.) See Aston and Watson.
Wave problem of Cauchy and Poisson (Pidduck), 396.
Waves, propagation through stratified medium, with reference to question of reflection (Rayleigh), 207; —— in steel, pressure of distortional (Poynting), 534.
West (G. D.) On the Resistance to the Motion of a Thread of Mercury in a Glass Tube, 20.
Whiddington (R.) The Transmission of Cathode Rays through Matter, 360; —— The Velocity of the Secondary Cathode Particles ejected by the Characteristic Röntgen Rays, 370.
Whytlaw-Gray (R.) and Ramsay (Sir W.) The Atomic Weight of Radium, 270. (See also Patterson, Cripps, and Whytlaw-Gray.)
Wire, changes in dimensions of, when twisted (Poynting), 534.

Xenon, critical constants and orthobaric densities of (Patterson and others), 579.

END OF THE EIGHTY-SIXTH VOLUME (SERIES A).

HARRISON AND SONS, Printers in Ordinary to His Majesty, St. Martin's Lane.